

List of common names mentioned:—

Kauri	<i>Agathis australis.</i>
Manuka	<i>Leptospermum scoparium.</i>
Towhai	<i>Weinmannia spp.</i>
Tanekaha	<i>Phyllocladus trichomanoides</i>
Toru	<i>Persoonia toru</i>
Rewarewa	<i>Knightia excelsa.</i>
Mairehau	<i>Phebalium nudum.</i>
Mingi	<i>Leucopogon fasciculatus.</i>
Heketara	<i>Olearia cunninghamii.</i>
Mahoe	<i>Meliccytus ramiflorus.</i>
Alseuosmia	<i>A. macrophylla.</i>
Karamu	<i>Coprosma spp.</i>
Hangehange	<i>Geniostoma ligustrifolium</i>
Punga	<i>Cyathea dealbata.</i>
Kauri grass	<i>Astelia trinervia.</i>

COPPICING OF CORSICAN PINE.

The following example of unintentional coniferous coppicing is recorded from Golden Downs State Forest (35 miles from Nelson).

A compartment, elevation 1,500 feet, was planted in 1933 with *Pinus laricio*. In 1936, it was decided to widen the boundary fire-break adjoining this compartment, and to this end a chain strip of trees was cleared by slasher. An attempt was then made to burn the cut-over strip, but the results seem to have been somewhat patchy.

A recent inspection showed that where there was no burning, a remarkably high percentage of coppicing had taken place.

As shown in the photograph, the loss of three years has had little effect upon the average growth, and it is interesting to note that there are very few double leaders or otherwise malformed trees.

R. W. G. J.